# SAFETY DATA SHEET

# 1. Identification

Product identifier	Talc (mg3h2(sio3)4) [respirable Dust]	
Other means of identification		
Product code	60001TAL	
CAS number	14807-96-6	
Recommended use	Agricultural/ Horticultural Use- Fertilizer- Refe	r to product label
<b>Recommended restrictions</b>	Refer to product label.	
Manufacturer/Importer/Supplier	Distributor information	
Manufactured by	TALC USA, LLC.	
Address	6100 Industrial Dr.	
	Curran, IL 62670	
Telephone	701-668-2326	
Website	www.talcusa.com	
Emergency contact	CHEMTREC (24 Hours):	
USA, Canada, Puerto Rico	1-800-424-9300	
Virgin Islands	1-800-424-9300	
International Maritime	+1 (703) 527-3887	
2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Acute toxicity, inhalation	Category 4

Physical hazards	Not classified.	
Health hazards	Acute toxicity, inhalation	Category 4
	Carcinogenicity	Category 2
	Specific target organ toxicity, repeated exposure	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



▼ ▼
Danger
Harmful if inhaled. Suspected of causing cancer. Causes damage to organs through prolonged or repeated exposure.
Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
If inhaled: Remove person to fresh air and keep comfortable for breathing. If exposed or concerned: Get medical advice/attention.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
None known.
None.

# 3. Composition/information on ingredients

#### Substances

Chemical name	Common name and synonyms	CAS number	%	
Talc (mg3h2(sio3)4) [respirable Dust]		14807-96-6	100	
4. First-aid measures				
Inhalation	Remove victim to fresh air and keep at rest in artificial respiration if needed. Call a poison c			
Skin contact	Rinse with water. Get medical attention if irritation	ation develops and persists.		
Eye contact	Do not rub eyes. Rinse with water. Get medic	al attention if irritation develops	and persists.	
Ingestion	Rinse mouth. Get medical attention if sympto	ms occur.		
Most important symptoms/effects, acute and delayed	Dusts may irritate the respiratory tract, skin and eyes. Prolonged exposure may cause chronic effects.			
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victin under observation. Symptoms may be delayed.			
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.			
5. Fire-fighting measures				
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carb	oon dioxide (CO2).		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as th	is will spread the fire.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may b	e formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.			
Fire fighting equipment/instructions	Use water spray to cool unopened containers.			
Specific methods	Use standard firefighting procedures and con	sider the hazards of other involved	ved materials.	
General fire hazards	No unusual fire or explosion hazards noted.			
6. Accidental release meas	sures			
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep pe appropriate protective equipment and clothing NIOSH/MSHA approved respirator if there is the exposure limits. Ensure adequate ventilat spillages cannot be contained. For personal p	g during clean-up. Do not breath a risk of exposure to dust/fume ion. Local authorities should be	ie dust. Use a at levels exceeding advised if significar	
Methods and materials for containment and cleaning up	Avoid dispersal of dust in the air (i.e., clearing using a vacuum cleaner equipped with HEPA spread on the water surface. Stop the flow of	filter. The product is immiscible		
	Large Spills: Wet down with water and dike for container. Following product recovery, flush a		erial into waste	
	Small Spills: Sweep up or vacuum up spillage	e and collect in suitable containe	er for disposal.	
	Never return spills to original containers for recontainers. For waste disposal, see section 1		overed, labeled	
Environmental precautions	Avoid discharge into drains, water courses or	onto the ground.		
7. Handling and storage				
Precautions for safe handling	Obtain special instructions before use. Do no and understood. Minimize dust generation an prolonged exposure. When using, do not eat, systems, if possible. Use only outdoors or in protective equipment. Wash hands thorough practices.	d accumulation. Do not breathe drink or smoke. Should be han a well-ventilated area. Wear app	dust. Avoid dled in closed propriate personal	

Store in secured area away from children, feed, and other food products. Store in original container. Store in a well-ventilated area. Storage temperature: 40 F to 100 F.

#### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Material	Туре	Value	Form
Talc (mg3h2(sio3)4) [respirable Dust] (CAS 14807-96-6)	TWA	0.1 mg/m3	Respirable.
		20 mppcf	
		2.4 mppcf	Respirable.
US. ACGIH Threshold Lin	· · · ·		<b>F</b>
Material	Туре	Value	Form
Talc (mg3h2(sio3)4) [respirable Dust] (CAS 14807-96-6)	TWA	2 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide Material	to Chemical Hazards Recommended Ex Type	xposure Limits (REL) Value	Form
Talc (mg3h2(sio3)4) [respirable Dust] (CAS 14807-96-6)	TWA	2 mg/m3	Respirable.
ological limit values	No biological exposure limits noted for the ingredient(s).		
propriate engineering ntrols	Good general ventilation should be us applicable, use process enclosures, lo maintain airborne levels below recomr established, maintain airborne levels t sufficient to maintain concentrations of (OEL), suitable respiratory protection r operation which may generate dusts, u below the recommended exposure lim	cal exhaust ventilation, or oth nended exposure limits. If exp o an acceptable level. If engir f dust particulates below the 0 must be worn. If material is gr use appropriate local exhaust	ner engineering controls to posure limits have not been neering measures are not Occupational Exposure Lim round, cut, or used in any
	s, such as personal protective equipme		
Eye/face protection	Chemical respirator with organic vapo	r cartridge, full facepiece, dus	st and mist filter.
Skin protection Hand protection	Wear appropriate chemical resistant g	loves.	
Other	Wear suitable protective clothing. Use		commended.
Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter.		
Thermal hazards	Wear appropriate thermal protective c	lothing, when necessary.	
neral hygiene nsiderations	Observe any medical surveillance requised measures, such as washing after hand smoking. Routinely wash work clothin	dling the material and before a	eating, drinking, and/or
Physical and chemica	l properties		
pearance			

рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	<0.0000001 kPa (77 °F (25 °C))
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient	Not available.
(n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature Viscosity	Not available.
Other information	
Density	2.58 g/cm3 estimated
Explosive properties	Not explosive.
Heat of combustion (NFPA	0 kJ/g
30B)	
Molecular formula	H2-O3-Si 3/4Mg
Molecular weight	96.49 g/mol
Oxidizing properties	Not oxidizing.
Specific gravity	≥ 2.58 - ≤ 3.83
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.
11. Toxicological informat	lion
Information on likely routes of e	xposure
Inhalation	Harmful if inhaled.
Skin contact	Dust or powder may irritate the skin.
Eye contact	Dust may irritate the eyes.
Ingestion	Knowledge about health hazard is incomplete.
Symptoms related to the	Dusts may irritate the respiratory tract, skin and eyes.
physical, chemical and toxicological characteristics	
Information on toxicological effe	ects
Acuto toxicity	Harmful if inhaled

Acute toxicity	Harmful if inhaled.
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye irritation	Due to partial or complete lack of data the classification is not possible.			
Respiratory or skin sensitization	n			
<b>Respiratory sensitization</b>	Due to partial or complete lack of data the classification is not possible.			
Skin sensitization	Due to partial or complete lack of data the classification is not possible.			
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.			
Carcinogenicity	Suspected of causing cancer.			
IARC Monographs. Overall	Evaluation of Carcinogenicity			
Talc (mg3h2(sio3)4) [respirable Dust] (CAS 14807-96-6) 2B Possibly carcinogenic to humans. 3 Not classifiable as to carcinogenicity to humans.				
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)				
Not listed.				
US. National Toxicology Program (NTP) Report on Carcinogens				
Not listed.				
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.			
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.			
Specific target organ toxicity - repeated exposure	Causes damage to organs through prolonged or repeated exposure.			
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.			
Chronic effects	Prolonged inhalation may be harmful. Causes damage to organs through prolo exposure. Prolonged exposure may cause chronic effects.	nged or repeated		
12. Ecological information	n			

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this substance.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

### DOT

Not regulated as dangerous goods.

### ΙΑΤΑ

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

# 15. Regulatory information

### US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### **Toxic Substances Control Act (TSCA)**

TSCA Section 12(b) Ex Not regulated.	port Notification (40	CFR 707, Subpt. D)	
CERCLA Hazardous Substa	ance List (40 CFR 30	2.4)	
Not listed. SARA 304 Emergency relea	se notification		
Not regulated. OSHA Specifically Regulate		ED 1010 1001 1052)	
Not listed.	a Substances (29 C	FK 1910.1001-1055)	
Superfund Amendments and Re	eauthorization Act of	f 1986 (SARA)	
SARA 302 Extremely hazar	dous substance		
Not listed.			
SARA 311/312 Hazardous chemical	Yes		
Classified hazard categories	Acute toxicity (any Carcinogenicity Specific target orga	route of exposure) an toxicity (single or repeated exposure)	
SARA 313 (TRI reporting) Not regulated.			
Other federal regulations			
Clean Air Act (CAA) Section	n 112 Hazardous Air	Pollutants (HAPs) List	
Not regulated. Clean Air Act (CAA) Section	n 112(r) Accidental R	Release Prevention (40 CFR 68.130)	
Not regulated.			
Safe Drinking Water Act (SDWA)	Not regulated.		
US state regulations			
California Proposition 65			
	State of California to c	nemicals including arsenic, cadmium, and lead, ause cancer and birth defects or other reproductive arnings.ca.gov.	
California Proposition	65 - CRT: Listed date	e/Carcinogenic substance	
Talc (mg3h2(sio3)4) (CAS 14807-96-6)	[respirable Dust]	Listed: April 1, 1990	
International Inventories			
Country(s) or region	Inventory name		On inventory (yes/no)*
Australia	Australian Inventor	y of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substance	ces List (DSL)	Yes
Canada	Non-Domestic Sub	stances List (NDSL)	No
China	Inventory of Existin	g Chemical Substances in China (IECSC)	Yes
Europe	European Inventory Substances (EINE	y of Existing Commercial Chemical CS)	Yes
Europe	European List of No	otified Chemical Substances (ELINCS)	No
Japan	Inventory of Existin	g and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals		Yes
New Zealand	New Zealand Inver	-	Yes
Philippines	Philippine Inventory (PICCS)	y of Chemicals and Chemical Substances	Yes
Taiwan	Taiwan Chemical S	Substance Inventory (TCSI)	Yes
United States & Puerto Rico		Control Act (TSCA) Inventory	Yes
*A "Yes" indicates that all compo	nents of this product cor	mply with the inventory requirements administered by the a	overning country(s)

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	09-16-2022
Revision date	10-03-2024

#### Disclaimer

#### 06

The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of the Product to determine suitability of the Product for user's particular use.